TELINAM

Unique vynile transpirant
Breathable

DELCROIX
CONCEPT

Ignifuge
Fire retardant

Transpirant
Breathable

Antibactérien
Antibacterial

Protech
Antitaches
Stain Resistant

Antistatique
Antistatic

Resistance U.V.
U.V. Resistance

water proof
OPTIONAL
INDOOR & OUTDOOR

Easy Clean
Clean with water
OPTIONAL

Outdoor/Indoor 2.500

Marine Professional Outdoor

Impermeable *Waterproof.* OPTIONAL







ice 0000



marfil 0004



boreal 3011



rustic 2604



silver 0005



cristal 0001



serena 2101



grey 2190



gold 2690



cohiba 9023

nero 9090

Outdoor/Indoor

RAM

Marine Professional Outdoor





ice

bianco



grey



tarmac



vison



ivory

roca



fosco



salvia



oltramar

zero



vega

Outdoor/Indoor

CLAM

Marine Professional Outdoor

Easy Clean
Clean with water
OPTIONAL
Minimum order 300m





blanco 1300



nacar 1302

madeira 1312



luna 1301



plomo 1387



tierra 1315



fosco 1385

negro 1390

TELINAM	2.500	RAM	CLAM
Composition/*Composition*	88% Vinyle/*Vinyl* 12% Polyester	50% Polyester 50% Vinyle/*Vinyl*	87% Vinyle/*Vinyl* 15% Polyester
Largeur/*Width*	140 cm ± 2%	140 cm ± 2%	140 cm ± 2%
Poids/*Weight*	400 g/m²	452 g/m²	710 g/m²
Épaisseur/*Thickness*	0,69 mm	0,90 mm	1,12 mm
Résistance à la dechirure *Tear strength* trame/*weft* chaîne/*warp*	(ISO 13937-3) 7,2 daN 6,4 daN	(ISO 13937-3) 209,9 N 163,8 N	(UNE EN 53-326) 3 ±0,5 Kg 3 ±0,5 Kg
Facteur d'ouverture/*Openness factor*	5%	8,48%	—
Solidité des teintures à la lumière (niveaux de gris) *Light fastness (grey scale level)*	(ISO B06-2002) 5	(ISO B06-2002) 5	(ISO B06-2002) 4
Test d'odeur/*Odour test*	(PV-3900) 3	(PV-3900) 3	—
Traitement ignifuge *Fire Retardant treatment*	UNE-EN 13773 CLASS 1 NF P 92-503 M1 BS5867:2:80 Type B DIN 4102 B2 NFPA 701 Pass	OPTIONNEL *OPTIONAL* BS5852 Parts 1-2 UNE 1021 Parts 1-2 IMO A652	UNE 1021 Parts 1-2 IMO A652 BS5852 Cigarette & Match
Conforme à la norme REACH STANDARD. Exempt de phtalates. *Meet Reach Standard. Is free phthalates.*			



DELCROIX CONCEPT SPRL
Chaussée de Charleroi, 58 · 5140 - SOMBREFFE (BELGIQUE)
☎ 0032 (0)71/88.65.88 info@delcroix-concept.be www.delcroix-concept.be www.facebook.com/delcroixconcept